

GARAGE FORCE

CHIP SYSTEM

Topcoat


@150-175 sq/ft per gallon

Chip Broadcast

@5 sq/ft per pound

Basecoat

@250-350 sq/ft per gallon



Suggested Uses:

Garage Floors
Basements
Shops
Retail Space
Manufacturing Outdoors

Benefits:

Repeatable look
Easy to install
Hides flaws well
Strong
Slip Resistant
Easy to maintain

Limitations:

Very common system

*Always reference the Technical Data Sheet for product information, recoat time and application restrictions. Systems may need adjusting to be better suited for end use requirements. Contact a member of the Garage Force Technical Team for additional information.


GARAGE FORCE

MEDICI SYSTEM

Topcoat
@500-600 sq/ft per gallon

Medici Coat
@500-600 sq/ft per gallon

Basecoat
@250-350 sq/ft per gallon



Suggested Uses:

Entry Ways
Retail Space
Salons
Laundry Rooms
Basements

Benefits:

3D Color
Strong
Custom Shading
Classic Look
Alternative to stained concrete
Easy to clean

Limitations:

Cannot Install Under 50°
Cannot be installed in direct sunlight
Varies in look by installer
Basecoat must be 100% covered

*Always reference the Technical Data Sheet for product information, recoat time and application restrictions.
Systems may need adjusting to be better suited for end use requirements.
Contact a member of the Garage Force Technical Team for additional information.

GARAGE FORCE


METALLIC SYSTEM



Topcoat
@500-600 sq/ft per gallon

Metallic Coat
@50-75 sq/ft per gallon

Basecoat
@250-350 sq/ft per gallon



Suggested Uses:

Showrooms
Lobbies
Kitchens
Bathrooms
Basements
Waiting rooms
Restaurants

Benefits:

Chemical resistant
Easy to clean

Limitations:

Not UV Stable
Can only be installed on level substrate
Cannot Install Under 50°

*Always reference the Technical Data Sheet for product information, recoat time and application restrictions.
Systems may need adjusting to be better suited for end use requirements.
Contact a member of the Garage Force Technical Team for additional information.

GARAGE FORCE

QUARTZ SYSTEM

Topcoat

@100-125 sq/ft per gallon

Quartz Broadcast

@1 sq/ft per pound

Topcoat


@100-125 sq/ft per gallon

Quartz Broadcast

@1 sq/ft per pound

Basecoat

@250-350 sq/ft per gallon



Suggested Uses:

Commerical Kitchens
Industrial Bathrooms
Outdoors
Manufacturing

Benefits:

Extremely Strong
Slip Resistant
Abrasion Resistant

Limitations:

Imperfections in substrate will show
Longer install time
Difficult to clean

*Always reference the Technical Data Sheet for product information, recoat time and application restrictions. Systems may need adjusting to be better suited for end use requirements. Contact a member of the Garage Force Technical Team for additional information.

GARAGE FORCE

STONE SERIES SYSTEM

Topcoat


@150-175 sq/ft per gallon

Chip Broadcast

@5 sq/ft per pound

Basecoat

@250-350 sq/ft per gallon



Suggested Uses:

Patios
Sidewalks
Garages
Interior Spaces

Benefits:

Easy installation
Repeatable look
Decorative stone look
Hides flaws well
Strong
Slip resistant
Easy to maintain

Limitations:

Chip doesn't stick as well
May need to double broadcast
May need to "dry roll"

*Always reference the Technical Data Sheet for product information, recoat time and application restrictions.
Systems may need adjusting to be better suited for end use requirements.
Contact a member of the Garage Force Technical Team for additional information.